

# Children's Vaccination Schedules Australia

**1960**

**13 doses**

Diphtheria-Tetanus-Pertussis  
Polio  
Diphtheria-Tetanus-Pertussis  
Polio  
Diphtheria-Tetanus-Pertussis  
Polio  
Polio

**“I’m fully vaccinated  
and I’m fine”**

*~ But with higher rates of cancer, developmental disorders, asthma, allergies and autoimmune diseases than ever before, what’s in store for our youngest generation?*

The USA’s National Vaccine Injury Compensation Program has paid out \$4.5 billion to vaccine-injured individuals since 1989.

**1975**

**18-19 doses**

Diphtheria-Tetanus-Pertussis (3 months)  
Diphtheria-Tetanus-Pertussis (4 months)  
Diphtheria-Tetanus-Pertussis (5 months)  
Polio (6 months)  
Polio (8 months)  
Polio (10 months)  
Measles (12 months)  
Diphtheria-Tetanus-Pertussis (15-18 months)

Improved nutrition, sanitation and hygiene are understood to be the major factors that resulted in the greatly reduced mortality from infectious diseases observed before mass vaccination was introduced.

**2020**

**45 doses plus**

Hepatitis B (at birth)  
Diphtheria-Tetanus-Pertussis-Hepatitis B  
Polio-Hib (2 months)  
Pneumococcal (2 months)  
Rotavirus (2 months)  
Diphtheria-Tetanus-Pertussis-Hepatitis B  
Polio-Hib (4 months)  
Pneumococcal (4 months)  
Rotavirus (4 months)  
Diphtheria-Tetanus-Pertussis-Hepatitis B  
Polio-Hib (6 months)  
Measles-Mumps-Rubella (12 months)  
Meningococcal ACYW (12 months)  
Pneumococcal (12 months)  
Measles-Mumps-Rubella-Varicella (18 months)  
Diphtheria-Tetanus-Pertussis (18 months) Hib (18 months)  
Diphtheria-Tetanus-Pertussis-Polio (4 years)  
Human papillomavirus (HPV) (2 doses, 12 -13 years)  
Diphtheria-Tetanus-Pertussis (12-13 years)  
Meningococcal ACWY (14-16 years)  
Annual Flu shot in some states